

according to Regulation (EC) No 1907/2006 (REACH) as amended

		FOBI	SIL forte W		
Creati	on date	10. February 2003			
Revisi	on date	25. October 2019	Version	3	
SECT	ON 1: Identification	of the substance/mixture	and of the company/un	dertaking	
1.1.	Product identifier		FOBISIL forte W		
	Substance / mixture		mixture		
	Number		2-22		
	UFI		P550-50X8-700J-	HQXM	
1.2.	Relevant identified	uses of the substance or i	nixture and uses advise	d against	
	Mixture's intended use		hydrophobic impr	regnation	
	Mixture uses advised	against	The product shou referred in Sectio	ld not be used in ways other then those n 1.	
	EuPCS		PC-PNT-3		
1.3.	Details of the suppl	ier of the safety data shee	et		
	Manufacturer				
	Name or trade r	name	BETOSAN s.r.o.		
	Address		Na Dolinách 28, P	Praha 4, 147 00	
			Czech Republic		
	Identification nu	ımber (CRN)	48028177		
	VAT Reg No		CZ48028177		
	Phone		241 431 212		
	E-mail		praha@betosan.c	Z	
	Web address		www.betosan.cz		
	Competent person r	esponsible for the safety	data sheet		
	Name		BETOSAN s.r.o.		
	E-mail		praha@betosan.c	Z	
1.4.	Emergency telephor	ne number			
	not available				

2.1.

Classification of the substance or mixture Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Corr. 1A, H314

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes severe skin burns and eye damage.

2.2. Label elements

Hazard pictogram



Signal word Danger

Hazardous substan methylsilicone potass Hazard statements	sium			
H314	Causes severe skin burns and eye damage.			
Precautionary statements				
P102	Keep out of reach of children.			
P260	Do not breathe dust/fume/gas/mist/vapours/spray.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			



according to Regulation (EC) No 1907/2006 (REACH) as amended

	FOBISIL forte W				
Creation date	10. February 2003				
Revision date	25. October 2019	Version	3		
P301+P330+P331	IF SWALLOWED: Rinse mo	uth. Do NOT induce vomiti	ng.		
P303+P361+P353	IF ON SKIN (or hair): Take water or shower.	off immediately all contar	ninated clothing. Rinse s	skin with	
P305+P351+P338	IF IN EYES: Rinse cautious present and easy to do. Co		ninutes. Remove contact	lenses, if	
P310	Immediately call a doctor.				
P501	Dispose of contents/contair waste or by returning to th	, .	the person authorized to	dispose of	

2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
CAS: 31795-24-1 EC: 250-807-9	methylsilicone potassium	5-10	Skin Corr. 1A, H314	
Index: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3	caustic potash	<1	Acute Tox. 4, H302 Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: 0,5 % \leq C $<$ 2 % Skin Corr. 1A, H314: C \geq 5 % Skin Corr. 1B, H314: 2 % \leq C $<$ 5 % Eye Irrit. 2, H319: 0,5 % \leq C $<$ 2 %	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water/shower. Rinse cautiously with water for several minutes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.



according to Regulation (EC) No 1907/2006 (REACH) as amended

FOBISIL forte W

	1001			
Creation date	10. February 2003			
Revision date	25. October 2019	Version	3	

If swallowed

DO NOT INDUCE VOMITING - there is danger of further damage to the gastrointestinal tract!!! Danger of esophageal and gastric perforation! RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) as amended

FOBISIL forte W

Creation date	10. February 2003			
Revision date	25. October 2019	Version	3	

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale aerosols. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up.Storage class12 - Other non-combustible liquidsContent10 kgMaterial of packageFE (40), Steel (Metals)



7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

none

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	liquid at 20°C
color	data not available
Odour	data not available
Odour threshold	data not available
рН	data not available
Melting point/freezing point	0 °C
Initial boiling point and boiling range	100 °C
Flash point	>65 °C
Evaporation rate	data not available
Flammability (solid, gas)	data not available
Upper/lower flammability or explosive limits	
flammability limits	data not available
explosive limits	



according to Regulation (EC) No 1907/2006 (REACH) as amended

FOBISIL forte W

	I ODIS			
Creation date	10. February 2003			
Revision date	25. October 2019	Version	3	
bo	ttom	1 %		
up	per	6 %		
Vapour pi	ressure	data not available	2	
Vapour de	ensity	data not available	2	
Relative c	lensity	data not available	2	
Solubility	(ies)			
solubi	lity in water	data not available	2	
solubi	lity in fats	data not available	2	
Partition of	coefficient: n-octanol/water	data not available	2	
Auto-ignit	tion temperature	data not available	2	
Decompo	sition temperature	data not available	2	
Viscosity		data not available	2	
Explosive	properties	data not available	2	
Oxidising	properties	data not available	2	
9.2. Other in	formation			
Density		1.07 g/cm ³		
ignition te	emperature	data not available	2	

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - not available

10.2. Chemical stability The product is stable under normal conditions.

10.3. Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

- **10.5.** Incompatible materials Protect against strong acids, bases and oxidizing agents.
- **10.6.** Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes severe skin burns and eye damage.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

FOBISIL forte W

Creation date	10. February 2003			
Revision date	25. October 2019	Version	3	

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

FOBISIL forte W

Parameter	Value	Time of exposure	Species	Environment	Source
LC50	100 mg/kg	96 hour	Fishes (Oncorhynchus mykiss)		benzín
IC50	8.2 mg/kg	96 hour	Fishes (Oncorhynchus mykiss)		xylen

12.2. Persistence and degradability Data not available.

- **12.3.** Bioaccumulative potential Not available.
- **12.4.** Mobility in soil Not available.
- **12.5.** Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

08 04 99 wastes not otherwise specified

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by dangerous substances



according to Regulation (EC) No 1907/2006 (REACH) as amended

L	FC	DBISIL forte W		
	on date 10. February 2003			
Revisio	on date 25. October 2019	Version	3	
	ON 14: Transport information			
14.1.	UN number			
	UN 3267			
14.2.	· · · · · · · · · · · ·			
	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.	.5.		
14.3.	Transport hazard class(es)			
14 4	8 Corrosive substances			
14.4.	Packing group III - substances presenting low danger			
14.5.	Environmental hazards			
1-7.3.	not available			
14.6.				
	Reference in the Sections 4 to 8.			
14.7.	Transport in bulk according to Annex II	of Marpol and the IBC Code		
	not available			
	Additional information			
	Hazard identification No.	80 (Kemler Code)		
	UN number	3267		
	Classification code	C7		
	Safety signs	8		
		Â		
		8		
	Air transport - ICAO/IATA			
	Packaging instructions passenger	852		
	Cargo packaging instructions	856		
	Marine transport - IMDG			
	EmS (emergency plan)	F-A, S-B		
	Marine Pollutant	No		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard r	isk phrases used in the safety data sheet			
H302	Harmful if swallowed.			
H314	Causes severe skin burns and eye damage.			
Guidelines for safe handling used in the safety data sheet				
P102	Keep out of reach of children.			
P260	Do not breathe dust/fume/gas/mist/vapours/spray.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.			



according to Regulation (EC) No 1907/2006 (REACH) as amended

	according to Regulation (EC) No 1907/2006 (REACH) as amended
	FOBISIL forte W
Creation date	10. February 2003
Revision date	25. October 2019Version3
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.
Other important i	nformation about human health protection
	not be - unless specifically approved by the manufacturer/importer - used for purposes other th L. The user is responsible for adherence to all related health protection regulations.
Key to abbreviation	ons and acronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and
DNEL	mixtures Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC50	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC50	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
MARPOL	
	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Skin Corr.	Skin corrosion



according to Regulation (EC) No 1907/2006 (REACH) as amended

FOBISIL forte W

Creation date	10. February 2003				
Revision date	25. October 2019	Version	3		

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. First aid principles after the exposure to the chemicals (Zásady pro poskytování první pomoci při expozici chemickým látkám, doc. MUDr. Daniela Pelclová, CSc., MUDr. Alexandr Fuchs, CSc., MUDr. Miroslava Hornychová, CSc., MUDr. Zdeňka Trávníčková, CSc., Jiřina Fridrichovská, prom. chem.). Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.